10

15

5

# WATER CONSERVING AND CLEANING APPARATUS

## Abstract of the Disclosure

The present water conserving and cleaning apparatus' major components include an essentially straight handle of several feet in length, with a hand grip in the vicinity of a distal end and a water flow control lever operably secured to a straight fixture removably secured to the hand grip. The handle is secured on the proximate end to a horizontal member in an inverted "T" configuration. A specific angle at which the handle is secured to the horizontal member is preferred for maximum comfort value for adults. The horizontal member includes a winged jet manifold fixably secured to the proximate end of the handle. The manifold includes a flow director which directs an air and water jet stream onto a surface to be cleaned. A rear wing, integral to the jet manifold, includes a two level cantilevered porch with specifically designed angles and heights to provide optimum air flow and a Venturi effect under the cleaning apparatus. A minimum of water is required when combined with an air stream to provide maximum pressure at a specific target angle to the surface to be cleaned. In addition, a cylindrical horizontal length of pipe is integrally

20

manufactured into the manifold. Also, a plurality of spray nozzles are secured underneath the horizontal length of the cylinder at generally equally spaced intervals. Finally, on a rear side of the manifold is movably secured a plurality of wheels. Several embodiments demonstrate design flexibility and adaptability to a variety of surface cleaning uses.

# The state of the s

### **GLOSSARY**

1	waterbroom	(prior	art)
---	------------	--------	------

- 2 pipe member (prior art)
- 3 handle (prior art)
- 5 4 nozzle (prior art)
  - 5 spray pattern (prior art)
  - 10 water conserving and cleaning apparatus
  - 12 straight handle
  - 14 hand grip
- 10 15 straight fixture
  - 16 distal end
  - 18 lever
  - 20 one end
  - 22 water hose
- 15 24 proximate end
  - 26 jet manifold
  - 28 center
  - 30 cylinder
  - 32 forward wing
- 20 34 rear wing

10

15

## 36 plurality of spray nozzles

- 36a slot
- 38 plurality of wheels
- 40 left end
- 5 42 right end
  - 44 air flow
  - 46 cantilevered porch
  - 48 air and water jet stream
  - 50 surface
  - 52 water
  - 54 ∂<sub>1</sub>
  - 56 upper porch
  - 58 angle step
  - 60 lower porch
  - 62 ∂<sub>2</sub>
    - 64 ∂<sub>3</sub>
    - 66 ∂<sub>4</sub>
    - 68 distance "d"

L

L

- 70 forward edge
- 72 juncture
- 76 attachment mechanism
- 5 78 spray pattern
  - 80 spray angle  $\partial_5$
  - 82 water filter
  - 84 base
  - 86 annular ring
- 10 88 cone